ISSUE 24 1 MAY - 30 JUNE 2017

SMD LED FOLDING WORKLIGHTS RECHARGABLE

FROM \$113⁸⁵

. Slim Line Design

· Clear Glass

\$99.00

TCM07SV

. Die-Cast Aluminium Housing

. Steel Folding Bracket

Specifications

Light Source - SMD LED Input Voltage - 12/24V DC Emitting Colour - White (6000K) Life Time - >50,000-75,000 Hours Adapter - Input 100-240V AC 50/60HZ

Viewing Angle - 120 degree Charging Time - 2-3 Hours Working Time - 3-5 Hours

\$99.00 (ex gst) Q7108 - 8W

Battery Type - 2 x 2200mAh Lithium Battery Lumens - >700Lm

\$119⁰⁰(ex gst) 07118 - 18W

Battery Type - 4 x 2200mAh Lithium Battery

Lumens - >1400Lm



4L CONCENTRATE

SG13003 \$27.60

The simple fact is, Simple Green is as strong as it is safe. Which makes it one of the most cost effective ways to remove oil, lubricants, grease and grime from practically any washable surface.

- · Contains a blend of synthetic, high grade penetrants activated by water.
- Customise dilution for specialised cleaning.
- · Can be used in a broad range of applications including dip tanks and parts washers.
- Mild pH of 9.3-9.5.
- Contains no petroleum distillates.
- · Exempt from OHSA and EPA special handling and personal protection requirements for hazardous materials.
- Made in NZ from local & imported ingredients.





4 DRAWER TOOL BOX SV SERIES



TC-Tray™ Modular System **GET ORGANISED WITH TENG!**

- . Holds up to 16 TT Travs
- · Lock with 2 keys.
- · Five step rust protection.
- · Ball bearing slides.
- · Red lacquered steel plate.
- · Heavy-duty carrying handles.

Max. Load Per Drawer - 20kg Drawer Size (x3) - 569 x 275 x 50mm Drawer Size (x1) - 569 x 275 x 75mm Dimension - 660(W) x 307(D) x 374(H)mm Weight - 20kg (empty)





The extensive range of qesta LED Lighting Solutions has been developed to suit industrial workplace and DIY applications. The qesta range inc everyone, all providing low heat and energy consumption. See page

4444 WORTH \$129.00 See pages 14, 15 & 24 **While Stocks Last** S, M, L, XL & XXL Available

If you haven't got it, you can't use it...

1est@ **2017 Range**

The extensive range of gesta LED Lighting has been developed to suit industrial and home applications, all providing low heat and energy consumption.

. Slim Line Design

\$64.40 (inc gst)

\$95.45 (inc gst)

· Clear Glass

240V SLIMLINE WORKLIGHTS

FROM

\$56.00 \$64.40

. Die-Cast Aluminium Housing

· Steel Bracket

Specifications

Light Source - SMD LED Power Factor - PF>0.9 Fixture Efficiency - >90% Emitting Colour - White (6000K) Life Time - >50,000-75,000 Hours Viewing Angle - 120 degree Colour Rendering - Ra>70

Q6510 - 10W Lumens - >700Lm Net Weight - 1.0kg

\$83.00_(ex gst) Q6520 - 20W Lumens - >1300Lm

\$56.00_(ex gst)

\$114.00_(ex gst) \$131.10 (inc gst)

Lumens - >1950Lm Net Weight - 2.8kg

Net Weight - 2.5kg

Q6530 - 30W

\$139.00_(ex gst) \$159.85_(inc gst) Q6550 - 50W

Lumens - >3250Lm Net Weight - 3.9kg





RECHARGEABLE DIY/ **CAMPING LIGHTS**

· PC Diffuser

FROM

\$67.85

· ABS Housing

· Aluminium Heat Sink

· Battery type - Lithium

. Beam angle - 120 degree • CRI - >70

IP54

\$59.00_(ex gst)

 CT - 5000-6500k · Charger - Wall charger

\$67.85 (Inc gst)

03008 - 500Lm · 8W SMD

· Running time - 2.5 hours

. Charging time - 2.5 hours

. Battery capacity - 2 x 2200mAh

03018 - 1100Lm 16W SMD

· Running time - 3 hours

. Charging time - 4 hours

. Battery capacity - 4 x 2200mAh



FROM

qest@

240V SLIMLINE TRIPOD WORKLIGHTS

. Die-Cast Aluminium Housing

· 3.0m Cord

06510

. Slim Line Design

Steel Adjustable Tri-Pod

· Clear Glass

Specifications

Light Source - SMD LED Working Voltage - AC84-265V Power Factor - PF>0.9

Fixture Efficiency - >90% Emitting Colour - White (6000K) Life Time - >50,000-75,000 Hours

Viewing Angle - 120 degree Colour Rendering - Ra>70

Q6531 - 30W Lumens - >1950Lm

Net Weight - 4.0kg

Q6532 - 2 x 30W \$259.00 (ex gst) \$297.05 (inc gst) Lumens - >1950Lm / 3900Lm Net Weight - 5.5kg

qest@

\$149.00 \$149.00 (ex gst) \$171.35 (inc gst)

FROM

\$297.85

qest@

240V SMD LED 360° WORKLIGHT

• 240V / 50Hz

Beam angle - 360°

· PC diffusor

· Rubber base

IP54

. 5m Power Cord

· 3 Outlet sockets (10amp)

Q8075 - 75W

\$259.00 (ex gst)

SMD 5250Lm

08120 - 120W SMD 8400Lm \$299.00 (ex gst)

\$343.85 (inc gst)





\$259.00

240V WORKLIGHTS SMD LED

. Die-Cast Aluminium Housing

· Steel Bracket

· Clear Glass

\$55.00 (ex gst) 06810 - 10W 650Lm \$84.00 (ex gst) Q6820 - 20W 1300Lm 06830 - 30W 1900Lm \$114.00 (ex ast)

\$135.00 (ex gst) Q6850 - 50W 3200Lm



FROM

240V 30W WORKLIGHT WITH POWER SOCKET

Q6830S \$155.25

\$135.00



240V WORKLIGHT 2 X 10W TRIPOD

. Die-Casting Aluminium Housing

· Steel Adjustable Tri-Pod

Clear Glass

Light Source - SMD LED Power - 2 x 10W Power Factor - PF>0.9 Lumens - >2 x 650Lm Fixture Efficiency - >90% Emitting Colour - White (6000K) Life Time - >30000 Hours Viewing Angle - 120 degree Colour Rendering - Ra>70 Net Weight - 0.55kgs

Size - 115 x 85 x 110mm per light



Q6911 \$139.00

qest@



240V 50W WORKLIGHT **COB LED**

· Super Bright I Heavy Duty

· Steel Bracket

Specifications

Light Source - zCOB LED Power - 50W Power Factor - PF>0.95 Lumens - >4500Lm

Fixture Efficiency - >90% Emitting Colour - White (6000K) Life Time - >50,000-75,000 Hours Viewing Angle - 120 degree Colour Rendering - Ra>70

\$251.85 . Die-Cast Aluminium Housing · Clear Glass

Q7050



aest@

\$219^{.00}

240V WORKLIGHT 2 X 20W TRIPOD

. Die-Casting Aluminium Housing

· Steel Adjustable Tri-Pod

· Clear Glass

Light Source - SMD LED Power - 2 x 20W Power Factor - PF>0.9 Lumens - >2 x 1300Lm Fixture Efficiency - >90% Emitting Colour - White (6000K) Life Time - >30000 Hours Viewing Angle - 120 degree Colour Rendering - Ra>70 Net Weight - 1.2kg Size - 180 x 135 x 100mm per light

Q6921 \$217.35 11

Q8018

\$189.00



RECHARGEABLE WORKLIGHT 10W

. Die-Casting Aluminium Housing

· Clear Glass

Light Source - SMD LED Input Voltage - 12/24V DC

Power - 10W

Battery Type - 7.4V 4.4AH Lithium-Battery

Lumens - >600Lm

Fixture Efficiency - >90% Emitting Colour - White (6000K) Adapter - Input 100-240V AC 50/60HZ

Viewing Angle - 120 degree Charging Time - 5 Hours Working Time - 3 Hours

Also available

Q6611 - Dimmable

\$117.00 (ex qst)

\$134⁵⁵(inc qst)

Q6620

Q6610 \$115.00

\$132.25 · Steel Bracket

qest@

240V 18W T8 LED TUBE LIGHT WITH TRIPOD

· Steel Adjustable Tri-Pod

5M Power Cable

. With 10amp Power Socket

Specifications

Light Source - T8 SMD LED Tube (replaceable) Power - 18W

Power Factor - PF>0.9 Lumens - >1800Lm

Fixture Efficiency - >90% Emitting Colour - White (6000K)

Life Time - >50,000-75,000 Hours Viewing Angle - 280deg Colour Rendering - Ra>70 Net Weight - 5.4kg



RECHARGEABLE WORKLIGHT 20W

· Steel Bracket

. Die-Casting Aluminium Housing · Clear Glass

Light Source - SMD LED Input Voltage - 12/24V DC

Power - 20W

Battery Type - 11.1V 4.4AH Lithium-Battery Lumens - >1200Lm

Fixture Efficiency - >90% Emitting Colour - White (6000K) Adapter - Input 100-240V AC 50/60HZ

Viewing Angle - 120 degree Charging Time - 5 Hours Working Time - 3 Hours Size - 180 x 135 x 100mm



15 PC SOCKET CLIP RAIL SETS

EACH

Supplied on a clip rail with socket clips

M1215MM - 1/2" Drive 15 Piece Metric Set

Sizes - 10-32mm

M1215AF - 1/2" Drive 15 Piece AF Set

Sizes - 3/8"-1 1/4"





12 PC 8 SERIES METRIC COMBO SPANNER SET

8512A \$143.75

- Size 8-19mm
- . Thinner, contoured handle for a lightweight & comfortable grip
- 12 point ring end
- . Thinner shaft which gives lighter weight & more comfort
- OPEN END ANTI SLIP FUNCTION
- APPLIES FORCE TO THE FLATS OF THE FASTENER
- SECURITY HOLD FOR FALL PROTECTION

Anti Slip open end features locking grooves, preventing slippage. This design substantially increases surface contact, meaning increased torque, fewer rounded fasteners and less injuries to your hand.

ANTI SLIP FUNCTION








 Hex - 4, 5 & 6mm TX25 & TX30

SET









\$36.69











Screwdriver Heads, Flat x 5.5 & PZ1

FROM

\$608.35

. External diameter - 69mm

. External diameter - 92mm

. Output drive - 3/4"

. Output drive - 1"



Designed for tightening and loosening nuts & bolts where extra torque is required. Use together with a torque wrench & impact sockets to convert torque at a ratio of 3 to 1.

MP1400 - 1400Nm \$529.00 (ex gst)

- \$608³⁵(inc gst) . Max. tightening torque - 1500Nm / 1100ft-lb
- Input drive 1/2"
- Weight 2.28kg

\$599.00_(ex qst) MP2700 - 2700Nm

- \$688.85 (inc gst) . Max. tightening torque - 3000Nm / 2200ft-lb
- . Input drive 3/4"
- Weight 4.78kg

Support Leg for MP1400 - MPSL01 Support Leg for MP2700 - MPSL02 \$63.90 \$69.00

\$73.49 (m) pet \$79³⁵(see put



FRP RATCHETS

- · Fibre reinforced polyamide
- · 45 teeth
- · Flip reverse
- . Strong, light and comfortable
- · Soft grip

TENGTOOLS

\$31.90_(ex gst) 1400FRP - 1/4" Drive

\$46^{.00}(ex gst) 3800FRP - 3/8" Drive

1200FRP - 1/2" Drive

\$53.40 (ex ast)

\$61.41 (inc gst)





3 PC MULTI DRIVE RATCHET RING SPANNER SET

6503RX

FROM

\$36.69

\$182.85



9 PC METRIC / SAE HEX KEY SETS - BALL END

EACH

\$25.19

\$21.90

1479MM - Metric

Sizes - 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 & 10.0mm

1479AF - AF

Sizes - 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" &





TORQUE WRENCHES

FROM

\$102.35



- · Test certificate
- . Degree scale for after tightening of cylinder heads
- . Tested to meet or exceed ISO standard

1292AG-EP - 1/2" Drive 40-200Nm (30-150ft/lb)

\$89.00_(ex gst)

\$153.00 (ex gst)

\$175-96 (inc gst)

\$272.55 (inc gst) \$742.90 (inc gst)

\$102.35 (inc gst)

1292AG-E4 - 1/2" Drive 70-350Nm (50-250ft/lb)

\$237.00 (ex ast)

3492AG-E - 3/4" Drive 90-450Nm (70-350ft/lb) 3492AG-E1 - 3/4" Drive 140-700Nm (100-500ft/lb) \$646.00 (ex gst)











29 PC MINI BITS



\$31.05 (inc gst)



\$32.00 (ex gst) \$36^{.00}(inc gst) \$36.00_(ex gst) \$41.40 (inc gst) CMQ600 - 600mm





Made from Chrome-Moly steel with induction hardend cutting edges, return spring, locking function & 2 component handles for comfort & grip.

Cutting capacity Piano wire: 3.6mm Steel: 4.0mm Iron: 5.2mm





RATCHET TYPE F CLAMPS

FROM \$90.85

\$79.00



\$112.00(ex gst)

28 PC MINI BITS BOX SET

\$128 to (inc gst)

- . Set containing bit holder with quick chuck, 1/4" hex adaptor and 26 common bits.
- · All bits with 1/4" shank.

CMFQ40 - 400 x 120mm

· Supplied in a plastic box with snap lock and metal pin hinges.









\$49.00





Blade, PH, PZ & 1 x 1000 Volt insulated. ABS carry case. Moly vanadium with two component handle gives you power and speed.

MECHANICS **WORKING CHAIR**





HEAVY DUTY FLOOR CREEPER



- · Heavy Duty.
- Overall Size: 1050 x 500 x 155mm
- . Pad Length: 1050mm, Pad Width: 300mm
- · Swivel wheels

QUICK LOCK COUPLER 1/8" BSP

GZ43544





CONVENIENT ENGAGEMENT Push coupler on grease fitting for complete engagement. Pump up your greasing equipment to 8,000 PSI



EASY RELEASE Pressing the lever down leads to easy disengagement

FLEX SPOUT MEASURERS

FROM

\$12.08

Plastic Measures have a translucent High Density Polyethylene construction & are used for transferring metered qty. of fluids.

These are marked in both Litres & Quarts.

Comes complete with Polyethylene flexible spout with cap and polypropylene lid.

\$10⁻⁵⁰(ex gst) GZ41900 - 1L \$12.08 (inc gst) \$12.70(ex qst) \$14.61 (inc gst) GZ41901 - 2L \$15⁻⁷⁰(ex gst) GZ41902 - 3L



HEAVY DUTY LEVER ACTION GREASE GUN

GZ42780

GZ45801

\$1263.85

\$39.10

\$34.00

Develops 10,000 PSI / 690 BAR

Variable stroke feature built in for use in confined areas.

High tolerance aluminium die cast grease gun head.

. Built Tough - Robust barrel 0.049" (1.2mm) thick, Heavy Duty Follower Spring, CNC machined grease gun head, large rolled threads for fast & easy re-loading.

 Complete 6" (150mm) steel extension & professional 4 jaw coupler with ball check

For use with 450gms grease cartridge or

HEAVY DUTY DRUM TROLLEY

MOUNTED OIL PUMP KIT

400gm also available

\$34.00 (ex ast) GZ42700 GROZ

\$39.10 (inc gst)



\$1099.00

300ML LEVER ACTON BARREL PUMP

GZ44120

\$67.85

Barrel pump for use with Antifreeze, solvents, thinners, automotive additives, industrial chemicals, oil based fluids & other non corrosive liquids. Non return seal is Viton rubber. Pump is not suited for use with water based fluids, corrosive media, gasoline etc.

 Premium powder coated steel pump body with ribbed section aluminium die cast pump head for maximum strength.

. Built-in 1 1/2" & 2" bung for use on drums with either openings

Plated steel lever handle with rubber grip for convenience.

 Wear resistant Brass piston rings fitted onto zinc die cast piston.

· Comes complete with curved metal spout & telescopic suction tube for use on 15 gallon (50 litres) - 55 gallons (205 litre) barrels.





ROTARY BARREL PUMP

GZ44052

GROZ

Most popular used pump worldwide. The Groz version of the Rotary Pump is superior to any other with features such as Dual Directional Operation which allows the pump to both empty, as well as refill containers.

. Delivers 5 Litres per 20 turns for Diesel Fuel.

Extremely Heavy Duty & rugged weighing 6.6kg (14.5lbs)

. Pump body is sturdy cast iron with precisely machined cast iron vanes for better draw & smoother delivery.

Pump seals are made from Hi Nitrile rubber.

. Fits 15 gallons (50 litre) to 55 gallons (205 litre) barrels.

Comes complete with suction tube, 2" cast iron bung nut & discharge

Wetted Components - Steel, Cast Iron, NBR

Recommended Use - For dispensing Diesel, Kerosene, Heating Oils, Motor Oils Lubricating Oils (upto SAE 90), and other non-corrosive media

Do Not Use - With water based media, Antifreeze, Solvents, Acids, and Gasoline etc.





- Air Operated 3:1 Drum Oil Pump.
- 2" Bung.
- Trolley Handle.
- . Pump Holder, Holds Pump During Changeover Of Oil Drum.
- . Electronic Digital Oil Control Gun.
- · Nozzle Holder.
- . Chain To Keep Drum Secured On The Trolley.
- · 3.5m Oil Hose.
- . Trolley For Conveniently Handling 205 Litre Drums.
- · Lockable Rear Wheel.
- Base To Mount Hose Reel.
- · Large Rubber Wheels.



6/12V COMPACT BATTERY

TQ1013 \$79.35

Battery load tester lets you test 6 volt or 12 volt batteries, test the charging system, analyze the battery condition, and test the starter motor. Accurate color-coded voltmeter includes scale from 1 to 16

- 6/12V Battery Tester
- . Load test capacity 100 amps, 500 to 1000 cold-cranking amps
- . Compact & Portable with Heavy Duty Insulated Clamps
- Testing can be done with engine running
- . Easy and Safe to Use, No Sparking
- Overall Dimensions 290(H) x 165(L) x 70(W)mm
- · Net Weight 1.2kg



DIGITAL BATTERY TESTER

PE1194 \$246.10

- . Green & Red LED's for fast decisions on starter & electrical system testina
- . High & low voltage capture for improved starter & charging system testing.
- · Accurate battery test.
- · Voltmeter mode for testing both starter & charging system.
- Tests discharged batteries.
- · Bad cell detection.
- . Dynamic conductance with direct temperature & deep scan technology.
- CCA=100-1400
- Voltage Range 7.6V 17V DC.





500AMP 12V PRO BATTERY TESTER (CARBON PILE)

TQ1043 \$182.85

\$159.00

- · Tests 12V Batteries, Alternators, Regulators & Starters
- Tests Batteries up to 160Ah/1000CCA
- 500Amp Adjustable Load Carbon Pile & Battery Temperature Scale
- · Colour-coded Temperature Compensation Pass/Fail Chart
- Colour-coded Separate Voltmeter & Amperemeter
- Overall Dimensions 230(H) x 270(L) x 130(W)mm
- Net Weight 3.9kg



6/12V BATTERY CHARGER WITH 12V JUMPSTART

TQ5028 \$113.85 #

- . Input Voltage 240V 50Hz 350w
- . Jump Start Current 75Amp (12V Only)
- Charging Current 2Amp (20Ah), 6Amp (60Ah) & 12Amp (120Ah)
- . Charge Capacity Indicator 25%, 50%, 75% & Full Charge
- · Overload, Over Voltage & Over Temp Protected (Auto Reset)
- Cable Length 1200mm
- Overall Dimensions 180(H) x 260(L) x 170(W)mr
- Net Weight 5.9kg









PE5081

\$173.00

This PROequip unit has a powerful 16800mAh rechargeable power bank designed to provide you with power wherever or whenever you need it. The quad-port charging outputs let you charge up to four devices simultaneously, plus includes a laptop adaptor plug with a selection of pin charger adaptors, 4-1 mobile phone adaptor and 12V battery jumpstart leads. 240V & 12V chargers included. Powerful triple LED emergency light with strobe and SOS function. Supplied in durable plastic carry case for easy storage while not in use. Case size - 340(W) x 270(H) x 80(D)mm.

Specification:

- . Battery Capacity 16800mAh
- Input 12.6V 1A
- . Charge Time 3-4 hours
- Output (3 modes) 15V 2A / 16V 3.5A / 19V 3.5A
- USB Output (x 4) 5V 2A
- . Start Current 300A
- Peak Current 600A Cycle Life - +/- 3000



12/24V HEAVY DUTY JUMP START

PE5086



IMPORTANT!!!

Use 12V Setting For Recharging The Battery. Cigar Lighter Socket For 12V Use Only. Must Recharge Every 3 Months.

- Voltage 12V / 24V Switchable
- Cranking Amps 1200A 12V / 600A 24V
- Peak Amps 2400A 12V / 1200A 24V
- Output From Cigarette Socket 2 x 12V DC, <15Amps
- Battery Type 12V / 22AH x 2
- Charger 12V-1000mA
- . Booster Cable Heavy Duty Booster Cables With Insulated Clamps
- Light 12V / 3.6 Watts
- · Voltage LED Display
- Auto Float Charging While Battery Voltage Up To 14.2 14.6V DC
- · Robust powder-coated steel case
- Reverse polarity audio warning
- · Net Weight 20kg



HIGH-POWER EMERGENCY JUMP STARTER PACK

Q12V600A

\$159.85

This Qesta unit has a powerful 16800mAh rechargeable power bank designed to provide you with power wherever or whenever you need it. The dual-port charging outputs let you charge two devices simultaneously, plus includes a laptop adaptor plug with a selection of pin charger adaptors and 12V battery jumpstart leads. 240V and 12V chargers included. Unit has inbuilt knife, glass breaking hammer and emergency light. Supplied in durable plastic carry case for easy storage while not in use. Case Size - 280(W) x 230(H) x 50(D)mm.

Specification:

- . Battery (Lithium-Ion) Capacity 16800mAh
- Input 12.6V 1A
- . Charge Time 3-4 hours
- Output (3 modes) 12V 1A / 16V 2A / 19V 3.5A
- USB Output (x 2) 5V 2A
- . Start Current 300A
- . Peak Current 600A
- Cycle Life +/- 3000



SPIRIT LEVEL ALUMINIUM - SLC SERIES

FROM



Heavy-duty extruded aluminium frame profile measuring 26x58mm. Crush-proof tubular vials that are highly transparent and durable. Highly resistant to ultraviolet light and temperature fluctuations. The bubble is not affected by static electricity. Shock absorbing end protectors and temperature-proof vial mountings.

Tolerance (Normal) - ±0.5mm/m

. Tolerance (Upside Down) - ±0.75mm/m

SLC0400 - 400mm	\$48 ^{.00} (ex gst)	\$55 ⁻²⁰ (inc gst)
SLC0600 - 600mm	\$60 ^{.00} (ex gst)	\$69 ^{.00} (inc gst)
SLC0800 - 800mm	\$67 ^{.00} (ex gst)	\$77.05 (inc gst)
SLC1000 - 1000mm	\$83.00 _(ex gst)	\$95.45 (inc gst)
SLC1200 - 1200mm	\$99 ^{.00} (ex gst)	\$113 ^{,85} (inc gst)
SLC1500 - 1500mm	\$123.00 _(ex gst)	\$141.45 _(inc gst)
SLC1800 - 1800mm	\$133.00 _(ex gst)	\$152.95 _(inc gst)
SLC2000 - 2000mm	\$145 ^{.00} (ex gst)	\$166 ⁻⁷⁵ (inc gst)



SPIRIT LEVEL ALUMINIUM - SLA SERIES

FROM \$28.64

\$24.90



Easy to hold aluminium profile measuring 24x50mm. Crush-proof tubular vials that are highly transparent and durable. Highly resistant to ultraviolet light and temperature fluctuations. The bubble is not affected by static electricity. Shock absorbing end protectors and temperatureproof vial mountings.

. Tolerance (Normal): ±0.5mm/m

. Tolerance (Upside Down): ±0.75mm/m

SLA0300 - 300mm	\$24 ^{.90} (ex gst)	\$28.64 (inc gst)
SLA0400 - 400mm	\$28 ^{.00} (ex gst)	\$32 ^{.20} (inc gst)
SLA0600 - 600mm	\$36 ^{,00} (ex gst)	\$41.40(inc gst)
SLA1000 - 1000mm	\$58 ^{.00} (ex gst)	\$66 ⁷⁰ (inc gst)
SLA1200 - 1200mm	\$63 ^{,00} (ex gsf)	\$72.45 (inc gst)
SLA1500 - 1500mm	\$68 ^{.00} (ex gst)	\$78 ²⁰ (inc gst)
SLA1800 - 1800mm	\$76 ^{.00} (ex gsf)	\$87.40(inc gst)
SLA2000 - 2000mm	\$80 ^{.00} (ex gst)	\$92 ^{.00} (inc gst)



BOX STYLE LEVEL ALUMINIUM

FROM



1 horizontal and 2 vertical vials.

Dual side milled aluminium box style frame for durability.

· Shockproof end caps.

· Accuracy 0.5mm/m

V groove can be used on pipe.

\$43.00 (ex gst) \$49.45 (Inc gst) 251013 - 600mm (24") \$62.00_(ex gst) 251016 - 900mm (36")

\$79.00 (ex gst) 251019 - 1200mm (48")

\$71.30 (inc gst)



SPIRIT LEVEL ALUMINIUM - SLM SERIES

FROM \$85.10

\$74^{.00}



Easy to hold aluminium profile measuring 24x50mm with magnets on the underside. Crushproof tubular vials that are highly transparent and durable. Highly resistant to ultraviolet light and temperature fluctuations. Shock absorbing end protectors and temperature-proof vial mountings. Tolerance - ±0.75mm/m

\$74.00_(ex gst) \$85⁻¹⁰(inc gst) SLM0300 - 300mm \$77.00_(ex gst) \$88.55 (inc gst) SLM0400 - 400mm \$86^{.00}(ex gst) SLM0600 - 600mm \$98.90 (inc gst) \$103.00 (ex gst) \$118⁻⁴⁵(inc gst) SLM1000 - 1000mm

\$133.00_(ex gst) \$152.95 (inc gst) SLM1200 - 1200mm





FROM



SLT01 - Aluminium

Dimensions - 230(L) x 38(W) x 16(H)mm

· Net Weight - 190g

\$13.70_(ex gst) SLT02 - ABS Plastic

 Dimensions - 230(L) x 40(W) x 16(H)mm . Net Weight - 160g

\$36⁻⁵⁷(inc gst)

• Tolerance - ±1.0mm/m

\$15^{.76}(inc gst)

Tolerance - ±1.5mm/m

TORPEDO LEVEL PLASTIC

FROM \$7.02

\$6.10



· 225mm (9")

253005 - Basic

3 vials - 0, 45, 90 degree.

· Accuracy 1.0mm/m

· Magnetic Base.

\$6.10 (ex est)

\$7.02 (inc gst)

253001 - Shockproof

\$14.80 (ex cst)

\$17.02 (inc gst)

I STYLE LEVEL ALUMINIUM

FROM



· 1 horizontal and 2 vertical vials.

· Rugged aluminium I-beam frame for durability.

· Shockproof end caps.

Accuracy 1.0mm/m

250051 - 400mm (16") 250053 - 600mm (24") \$18.00_(ex gst) \$20⁻⁷⁰(inc gst) \$21.00 (ex gst) \$24.15 (inc gst)

\$31.00 (ex gst) 250056 - 900mm (36")

\$35.66 (inc gst)





Suspension hole on the end of handle to prevent hammer falling during working at heights.

- · Weight of Head 20oz
- · Face Diameter 43mm
- . Overall Length 296mm
- . Net Weight 1608g

FLAT FACE BRICK LAYER HAMMER



Suspension hole on the end of handle to prevent hammer falling during working at heights.

- . Weight of Head 16oz
- . Face Diameter 23mm
- . Overall Length 291mm
- · Net Weight 733g

CARPENTERS HAMMERS

FROM

\$29.90

With round face and octagonal throat. Chrome, oval steel handle covered with perforated rubber grip. Suspension hole on the end of handle to prevent hammer falling during working at heights.

HMCHOBA - 8oz

\$26^{.00}(ex gst)

\$29.90 (inc gst \$33.35 (inc gst

HMCH13A - 130z HMCH16A - 160z

\$29.00 (ex gst) \$30.00 (ex est)

\$34.50 (inc gst

\$41.40 (inc gst

\$36.00 (ex est) HMCH20A - 2002

\$36.00 (ex gst) \$41.40 (inc gst) HMCH16M - 16oz with Magnet With round face and octagonal throat. Chrome, oval steel handle covered with perforated rubber grip. Forged hammer head with magnetic nail holder. Suspension hole on the end of handle to prevent hammer falling during working

· Face Diameter - 27.5mm

· Length - 341mm

Weight - 678g

\$63.00 (ex gst) HMCHM16 - 16oz (One Piece)

One piece forged steel claw hammer and with shock-absorbing grip to reduce vibration when striking. Forged hammer head with magnetic nail holder. Suspension hole on the end of handle to prevent hammer falling during working

• Face Diameter - 29mm

· Length - 333mm

Weight - 723g



\$39.00 (ex gst) HMCHC16 - 16oz (Carbon Fibre)

Carbon fibre core gives 25% more flexibility than normal fiberglass core. With round face. Suspension hole on the end of handle to prevent hammer falling during working at heights.

• Face Diameter - 28mm

· Length - 327mm

· Net Weight - 686g



DEAD BLOW HAMMERS

FROM



HINDUSS - SOUTH	Gex gst)	\$34 (inc gst)
HMDH45 - 45mm	\$42 ^{.00} (ex gst)	\$48 ⁻³⁰ (inc gst)
HMDH55 - 55mm	\$49 ^{.50} (ex gst)	\$56 ⁻⁹³ (inc gst)
HMDH65 - 65mm	\$65.00 _(ex gst)	\$74.75 (inc est)

BALL PEIN HAMMERS FIBREGLASS HANDLE



222003 - 225g (8oz)	\$13 ^{.30} (ex gst)	\$15 ⁻³⁰ (inc gst)
222005 - 340g (12oz)	\$14 ^{.80} (ex gst)	\$17 ^{:02} (inc gst)
222007 - 450g (160z)	\$17 ^{.40} (ex gst)	\$20 ⁻⁰¹ (inc gst)
222009 - 680g (24oz)	\$20 ^{.00} (ex gst)	\$23 ^{.00} (inc gst)
222011 - 910g (32oz)	\$22.80 _(ex gst)	\$26 ⁻²² (inc gst)
222013 - 1200g (40oz)	\$27.60 _(ex gst)	\$31.74 (inc gst)



- · For body work, etc.
- · Hickory handle. · Straight Pein.
- Length 325mm

CROWN FACE BODY HAMMER



- · For body work, etc.
- · Hickory handle. Round Point Pick.
- Length 325mm

CROWN FACE BODY

HAMMER





- · For body work, etc.
- · Hickory handle.
- Square milled face. · Length - 325mm


EXTRA HEAVY DUTY F **CLAMPS**

FROM \$228.85



HEAVY DUTY F CLAMP

\$132.25



. Hexagon design of the screws' end is good for reinforced The clamping pressure is measured at the span of 150mm.



\$83.95 (inc gst)

\$95,45 (inc gst)

GENERAL DUTY F-CLAMPS

FROM

\$20.00

\$23.00 (inc gst)

EHOMA

\$23.00 . Made of special alloy steel completely hardened.

· Nickel & Chrome plating. . High steel quality, great look & perfect touch.

\$20.00 (ex gst) ECG10CS - 100 x 50mm

\$30⁻⁵⁰(ex gst) \$35.08 (inc gst) ECG16CS - 160 x 80mm \$41.00 (ex gst) \$47.15 (inc gst) ECG20CS - 200 x 100mm \$56^{.35}(inc gst) \$49.00 (ex gst) ECG25CS - 250 x 120mm

\$68.00 (ex gst) \$78²⁰(inc gst) ECG30CS - 300 x 140mm \$84.00_(ex gst) \$96⁻⁶⁰(inc gst) ECG40CS - 400 x 175mm

\$98.00_(ex gst) \$112^{.70}(inc gst) ECG60CS - 600 x 175mm \$115.00 (ex gst) ECG80CS - 800 x 175mm \$132.25 (inc gst)

GENERAL DUTY CLAMPS

FROM

\$73.00 \$83.95

 Made of special alloy steel completely hardened. · Nickel & Chrome plating.

. High steel quality, great look & perfect touch.

ECSG40CS - 400 x 120mm \$73.00 (ex gst)

\$83.00 (ex gest) ECSG60CS - 600 x 120mm

\$106.00 (ex gast) \$121.90 (inc gst) ECSG80CS - 800 x 120mm

EHOMA

PIVOT HANDLE CLAMPS

FROM \$56.35

\$49.00



. The Pivot Handle increases the clamping pressure and allows faster clamping in restricted working areas.

. The clamping pressure is measured at the span of 150mm.

\$49.00_(ex gst) \$56³⁵(inc qst)

\$73.00 (ex qsf) \$83.95 (inc gst)

ECREG40C - 400 x 175mm \$93.00 (ex est) \$106.95 (inc est)

ECREGGOC - 600 x 175mm \$107.00 (ex gst) \$123.05 (inc gst)

· Pressure - 700kg

QUICK ACTION LEVER F-CLAMPS

FROM \$86.25

For high pressure, fast action clamping purpose.

\$75^{.00}

· Ratchet type lever presents overloading & resists vibration. ECG20L - 200 x 100mm

\$75.00 (ex gst) \$86-25 (inc gst)

ECG30L - 300 x 140mm \$107.00 (ex gst) \$123.05 (inc gst)



GENERAL DUTY C-CLAMPS

FROM \$46.00

\$105.00 (ex qst)

\$40.00

Made of special alloy steel completely hardened.

Nickel & Chrome plating.

ECBC-12 - 300 x 125mm

. High steel quality, great look & perfect touch.

\$40.00 (ex gst) \$46^{.00}(inc gst) ECBC-4 - 100 x 50mm \$49.00_(ex gst) \$56⁻³⁵(inc gst) ECBC-6 - 150 x 75mm \$66.00_(ex gst) \$75.90 (inc gst) ECBC-8 - 200 x 100mm \$75.00 (ex qst) ECCT-8 - 200 x 90mm \$86⁻²⁵(inc qst) \$81.00_(ex gst) \$93.15 (inc gst) ECBC-10 - 250 x 115mm

EHOM/

\$120⁻⁷⁵(inc gst)

ONE HAND BAR CLAMP & SPREADERS

FROM \$49.45

\$43.00



· Spring Loaded Pressure Jaw

. Head Can Be Removed, Place the Postrail into a Slot in Your Worktable to Create a Bench Clamp

Release Mechanism - For Quick Action

. Head Can be Placed On Opposite End to Create a Spreader

\$43.00_(ex gst) \$49.45 (inc gst) ECTC-6A - 150 x 85mm

\$47.00 (ex qst) ECTC-12A - 300 x 85mm \$51.00 tex ast ECTC-18A - 450 x 85mm

\$58.65 (inc ast) \$55.00_(ex gst) ECTC-24A - 600 x 85mm \$63^{.25}(inc gst)





COOLING SYSTEM PRESSURE TEST KIT

. Universal cooling system pressure that eliminate the need for most adaptors.

. Inflatable bladder sealing system enables the analyser to attach to almost all passenger & light commercial vehicles.

. Fits bayonet & threaded filter necks on radiator & header tanks

Complete with 8 unique cap adaptors.



(0)ജ്ഞ

2500KG SEMI-ALLOY GARAGE JACK

PE2024

\$343.85

Aluminium/steel garage jack with a twin piston pump for a quick lift action. Features include a rubber pad which protects vehicle underside and nylon non-marking wheels for quieter movement. Lightweight aluminium/steel construction with a tough anodised finish. Safe & simple to operate twist lock / unlock valve.

. 2500kg Safe Working Capacity (ANSI)

- Low Profile
- . Nylon non-marking wheels
- . Minimum Height 100mm
- Maximum Height 465mm
- . Twin Pump (5.5 Strokes to Full Height)
- . Handle Length 1085mm
- Dimensions 603(L) x 305(W) x 230(H)mm (without handle)
- Net Weight 25.6kg





PROFESSIONAL

9L MANUAL & PNEUMATIC FLUID EXTRACTOR

Evacuates engine oil, transmission fluids and gear oil. Also suitable for low viscosity fluids like water or anti-freeze. For use with most vehicles and machines.

Perfect for boats, personal watercraft or any application with no drain plug.

Includes dipstick probe tubes and adapters.

Specifications:

- · Capacity 9L
- · Hand or Air Operated
- Working Pressure 70-170psi (4.9-11.9bar)
- . Max Air Consumption 5.0cfm
- Air Inlet 1/4"
- Automatic Safety Cut-Off Valve

O Permi

PROFESSIONALequip



3000KG AXLE / JACK STANDS (PAIR)

SOLD PER PAIR

General purpose Heavy Duty Axle / Jack Stands. Ratchet type with cast iron support post and tough seam welded steel plate base. Angled teeth in post prevent accidental release of load

- the more weight applied, the tighter the post is locked.
- · Max Working Load 3000kg
- . Minimum Height 310mm Maximum Height - 450mm
- Base Size 200 x 243mm
- . Net Weight 11.6kg

Also available 5000kg capacity

PROFESSIONAL

\$159.00 (ex gst)

\$182.85 (inc gst)



680KG (1500LB) HEAVY DUTY ENGINE LEVELLER

PE1030

\$87.40

Ideal for levelling engines in garages and workshops, 680kg capacity allows you to lift a variety of different engines with ease. This leveller features a hand-crank operating system.

- 680kg | 1500lb | 3/4Ton Capacity
- . For use with Engine Cranes
- . Balances or Tilts Engine / Transmission for Easier Install / Removal
- Fully Adjustable 4 Point Mounting System
- . Chain Length 300mm
- . Net Weight 5.6kg





566KG (1250LB) CAPACITY ENGINE STAND

PE1191 \$201.25





FOLDING ENGINE CRANE /1000KG


PE1001 \$498.99



For raising, lowering and transporting of automotive engines and other heavy shop loads. Legs and boom can be folded quickly and easily to save space when not in use.

- . 1000kg Safe Working Capacity (AS/NZS) / 2Ton (ANSI)
- Adjustable Reinforced Boom 250kg, 500kg, 750kg & 1000kg
- . 8Ton Heavy Duty Quick Lift Ram
- Lifting Range 600 to 1740mm (from bottom edge of main boom)
- · Over Load Protection
- Folded Dimensions 1600(H) x 800(W) x 540(D)mm
- Overall Dimensions (Arms Extended) 1690(L) x 1028(W) x 1565(H)mm
- Net Weight 90kg

BUILD-A-KIT... YOUR WAY!







72 Teeth Ratchet, Soinner Handle, 2 extns, uni joint, adaptors regular sockets 4-13mm, deep sockets 4-13mm, bits sockets (Blade, PZ, PH) & assorted bits.

36 PIECE 3/8" DRIVE METRIC



72 tooth ratchet, rotating spinner handle, 3" extr. uni joint, adaptor, regular sockets 8-22mm, bits sockets (TX & Hex).

\$94.00

27 PIECE 1/2" DRIVE METRIC





72 tooth ratchet, 2 extris, uni joint, adaptor, regular sockets 10-24mm, deep sockets 10-19mm.

21 PIECE 1/2" DRIVE REG!/ DEEP IMPACT SOCKET & ACCESSORY SET







21 piece impact socket set. ANSI standard. Supplied in a plastic TC tray with removable lid. Three colour EVA foam.

. With ball point head on the long key end which permits turning

even at a 30° angle. . Three colour EVA foam.



11 PIECE MEGA DRIVE SCREWDRIVER SET



11 piece screwdriver set including Flat as well as Phillips and Pozidriv tips. With shaft of TT-MV PLUS steel. Three colour EVA foam.

15 PIECE ROE COMBINATION SPANNER SET



\$114.00



15 piece Chrome Vanadium combination spanner set.

. Three colour EVA foam.

Sizes - 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18,19mm

7 PIECE T-HANDLE METRIC HEX KEY



\$81.00

THE POOL OF



Metric hex keys 1.5-10mm. AF hex keys 5/64"-3/8" TX keys 8-40TX. Folding key set (hex, TX, Blade, PH & PZ). Mini TXT handle 6-15TX

4 PIECE ADJUSTABLE WRENCH SET

TEDADJ4 \$149.00



3 x '10' shifters (150, 200 & 250mm) and 1 x 200mm extra wide opening shifter.

13 PIECE EXTENSION BAR SET

Hex Keys - 2.5, 3, 4, 5, 6, 7, 8mm



42 PIECE MASTER KEY/SET



7 PIECE COMBINATION SPANNER SET

TEDHT42 \$125.00






Chrome vanadium steel, 12 point at ring end with 15° offset, satin finish.



BUILD YOUR KIT



estingunised "



1001 PIECE MEGA MASTER TOOL KIT **METRIC & IMPERIAL**

TCMM1001N

















 1/4", 3/8", 1/2" & 3/4" Drive
 Standard, deep, flex, hex, TX, TPX, TX-E, impact sockets
 4 Ratchets • 35 Screwdrivers • 74 Piece ratchet screwdriver set • 24 Pliers • 2 Torque wrenches • 69 Spanners • Nut drivers • Rivet and riv-nut sets • Pry bars and roll/heel bars

. Puller Kit . Tap & Die Set . Stud removers . Punch & chisel set . 1000V Pliers & screwdrivers

. Crimping tool set . Oil service kit . General tool kit & so much more...



VALUED AT \$129.00

WITH THE PURCHASE OF ANY TOOL KIT ON PAGES 14, 15 & 24. Sizes Available - S, M, L, XL & XXL

\$4598.85

\$3999.00

DRIVE

715 PIECE METRIC / IMPERIAL MEGA MASTER TOOL KIT

 1/4", 3/8" & 1/2" Drive
 3/8" Drive TX, TPX & TX-E sockets
 1/2" drive std & deep socket
 34 combo spanners AF / Metric 5/16" to 1 1/4", 8-32mm • 11 double ring spanners, 16 pliers, 22 screwdrivers . Mini screwdrivers & pliers . Ratcheting screwdriver set . 14 T Handle Hex, TX / TPX keys • 13 piece extension set • 1/2" drive torque wrench • Pin punches, chisels • Impact driver, rivet gun . Nut-sert gun . Tap & die set . Pin & hook wrenches . Puller set, pry bars . Stud & nut remover set, oil service kit . Hex bits & TX bits . 9 piece general tool kit & so much more



































249 PIECE TENGTOOLS GENERAL METRIC TOOL KIT (EVA)



A comprehensive 249 piece tool kit with the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Tools TC806NF 6 drawer top box and TCW807N 7 drawer roller cabinet, all with ball bearing slides. Each EVA tool set supplied in plastic case with removable lid.

- Built up using the unique Teng Tools Teng TC-Tray™ modular system with EVA inserts.
- Set has a total of 12 double width TC-Trays, and 4 x TTX trays
- Supplied in a TC806NF / TCW807N 8-series ball bearing slide top box / roller cabinet with combination locks (no keys).
- Tool set includes 165 sockets & accessories, 1/4", 3/8" & 1/2" drive, spanners, pliers & screwdrivers (incl. VDE), T-Handle Hex / TX drivers and torque wrenches.





























A comprehensive 417 piece tool kit with the tools laid out in three colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. Supplied in the Teng Tools TC806NF 6 drawer top box and TCW807N 7 drawer roller cabinet, all with ball bearing slides. Each EVA tool set supplied in plastic case with removable lid.

- Built up using the unique Teng Tools Teng TC-Tray" modular system with EVA inserts.
- . Set has a total of 14 double width TED-Trays, and 6 x TEX trays.
- Supplied in a TC806NF / TCW807N 8-series ball bearing slide top box / roller cabinet with combination locks (no keys).
- Tool set includes 191 sockets & accessories (incl. impact), 1/4", 3/8" & 1/2" drive, spanners, pliers & screwdrivers, T-Handle Hex / TX drivers, pry bars, adjustable wrenches, punches & chisels. and torque wrenches.







LED TORCH

LED torch with satin chrome plated brass body. 25-30 lumen. 45 degree light distribution. 2 batteries (type AAA) give up to 5.5 hours average usage. Batteries not included.

14.4 / 18 / 21.6V XENON TORCH (SKIN ONLY)

EY37C1B57 \$59.00

This multi voltage Flashlight will accept 14.4V, 18V & 21.6V Panasonic Li-ion Battery Packs, giving you much greater versatility regarding hours of use. It also features an adjustable head angle, so you can direct the light projection exactly where you are working and a low battery indicator so you will not be caught in the dark.

Features:

- Brightness of approx. 4,000 Lux
- · Adjustable head angle (Four steps)
- Low battery indication

· Shoulder strap

Technical Specifications:

- . Bulb: Xenon 0.49 A
- Size Max. 279(L) x 124(H) x 90(W)mm
- . Weight (excluding battery pack) 0.34 kg
- . Battery Packs and Hours of Use:
- 18V / 5.0Ah (EY9L54B57) | Approx. 7 hours
- 14.4V / 4.2Ah (EY9L45B57) | Approx. 5 hours



ROTATING MAGNETIC WORK LIGHT - 24 LED

ULRT-2LT

\$48.00

- · Sturdy aluminium housing
- · 24 high intensity LED lights
- . Magnetic base holds to any ferrous metal surface
- . Rotating head pivots to direct light to needed angle
- . Complete with batteries (3 x AAA)

Note: Remove shipping battery protection before use.





660MM 240V LED LIGHT BAR WITH MAGNETS - 200LM

589MA \$177.10

\$154^{.00}



A 660mm wide work light with magnetic attachment for use with the TC-PA01 work panels or for fixing to any ferrous metal surface. Contains 80 white LED's giving approx 200Lm of light.

Width - 660mm

LED bulb output - 7.2W


Light - 200 Lumen



255MM MOBILE LED LIGHT BAR W/MAGNET - 20LUMEN

587J \$102.35

\$89.00



A 255mm wide light bar with magnetic attachment for use with work bench panels or tool boxes. 9 white LED lights with 120° distribution angle. Requires 3 x AA batteries (not included).

- . Length 255mm
- · Width 40mm
- · Height 29mm
- · Light 20Lm
- . Magnetic Pull 30Nm x 2 (approx.)
- · Weight 188gm



90MM LED TORCH

510031 S11³³



- High quality aluminium body.
- 3 LED's
- Requires 1 x AAA-size batteries (Not Included).

215MM LED TORCH



- High quality aluminium body.
- 7 LED's
- . Requires 2 x C-size batteries (Not Included).

310MM LED TORCH

510003



- High quality aluminium body.
- 9 LED's
- . Requires 3 x D-size batteries (Not Included).

RECHARGEABLE USB PENLIGHT

\$17.30

The qest® Rechargeable LED Pen Light features 5 super bright SMD LED's at the front with a single LED top torch. This Torch is extremely powerful, light weight and ideal for a variety of applications. Due to the compact size, it can be conveniently carried in pockets and fastened using the magnetic pocket clip. This qest® Rechargeable LED Pen Torch has a 3 hour work time, includes 3 x 1.2V AAA Rechargeable Ni-Mh Batteries. Supplied with USB charge lead and 12V in-car charger adaptor.



- Top 1 x LED / 10Lm (25 Hr Work Time)
- . Side 5 x SMD LED / 100Lm (2 Hr Work Time)
- . 5 Hours Total Charge Time
- USB Cord Charger & 12V in-car charger adaptor
- 1.2V 600mAh Ni-MH Batteries (3.6V)
- · Magnetic Pocket Clip
- Dimensions 170 x 35 x 20mm
- · Weight 40gm

qest@

21 SMD + 6 LED RECHARGEABLE TORCH

Q1186 \$54^{.05} #

\$47.00

Qesta LED Inspection Torch features a retractable body, designed to protect the side SMD LED's when not in use. The magnetic base allows the torch to attach to metal surfaces.

Specifications:

- 1.6W
- 145Lm + 40Lm = 185Lm Total
- Light Distance: 4M / 10M
- 7.2V 800mAh Ni-Mh Rechargeable Battery



6 SMD LED RECHARGEABLE INSPECTION LAMP

qest@

Q1107

\$76.00



Q1170 \$148^{.35} ...

\$129.00

The Qesta Professional Underhood Folding LED Light has 40 super high-intensity SMD LED's for maximum light output. Features spring-loaded hooks & a three function switch for maximum versatility. Complete with 240V and 12V chargers.

- 7.4 Volt, 2200mAh Lithium Ion Battery
- . 1400 Lumens Light Output
- . Three function switch: Low, High & Off
- Center-Hinge between tubes for 0° to 180° angle of adjustment
- . Individual tubes rotate through a full 180°
- . ABS and aluminium construction







Qesta Rechargeable SMD LED inspection lamp featuring rubber housing, swivel hook, magent on back and convenient 240V docking station. Delivers a powerful and uniform light output and is the ideal for detailed inspection and maintenance work on vehicles.

Specifications:

- 250Lm
- 3.7V 1.5Ah Rechargeable Li-ion Battery
- 240V AC Docking Charger
- · Magnet on back
- · 3-4 Hours Work Time
- . 5-6 Hours Charge Time
- . Material Rubberised ABS Plastic
- IP23 Rated

3W SMD LED RECHARGEABLE SPOTLIGHT W/LI BATTERY

Q4037 \$49.80

\$43.30

The qest@ 3W SMD LED Lithium Spot Light is designed for any work situation requiring strong illumination and ease of operation. This light features a 3.7V 2200mAh lithium battery (non-replaceable) providing a long lasting charge, a rubber grip handle and lens protector for drop durability.

- 3W / 160 Lumens
- . Light Distance 400M
- 3.7V 2200mAh Rechargeable Lithium Battery

qesta

135MM CREE™ LED TORCH



\$48.00

138MM CREE™ LED TORCH

Weight - 155gm

582N \$64.40

\$56.00

195MM CREETE LED TORCH



\$65.0



Output - 1W

Lumen - 100 (High mode)

Length - 135mm

Battery - 2 x AAA (not included)

Weight - 50gm





GENERAL SPECIFICATION - FORCED AIR

- Robust and tough designed for industrial workshop use with durable external powder coated finish.
- Runs on Diesel or Kerosene.
- Stainless steel combustion chamber with cooling fan.
- Flame sensor and auto no-oil safety cut off.
- Overload and over-heat protected.
- Low pressure atomization.
- Easy maintenance.
- Digital temperature and setting display.
- Fully automatic operation controlled by PCB.
- Waterproof class IPX4.

NOT suitable for domestic use. When in use adequate fresh air ventilation must be provided. 12 Month commerical use Limited Warranty on faulty materials and workmanship





30KW DIESEL / KERO FORCED AIR HEATER

PE30FA

\$669⁰⁰

Motor - AC220/240 / 50Hz / 230W Heat Output - 30kW | 102400 BTU/h | 25800 Kcal/h Airflow Output - 720m2/h Fuel Consumption - 3.4kg/h Tank Capacity - 38L Size - 920 x 456 x 630mm Net Weight - 20.8kg

Operates up to 9.5 HOURS on full tank







20KW DIESEL / KERO

FORCED AIR HEATER Motor - AC220/240 / 50Hz / 230W

Airflow Output - 595m3/h

Tank Capacity - 19L Size - 755 x 420 x 540mm

Net Weight - 16.9kg

Fuel Consumption - 1.65kg/h

Operates up to

{0}

9.5 HOURS on full tank

Heat Output - 20 kW | 68240 BTU/h | 17200 Kcal/h

PE50FA

PE20FA

Motor - AC220/240 / 50Hz / 340W Heat Output - 50kW | 170600 BTU/h | 42990 Kcal/h Airflow Output - 1100m3/h Fuel Consumption - 4.0kg/h Tank Capacity - 56L

Size - 1050 x 490 x 615mm Net Weight - 27.4kg

> Operates up to 12 HOURS on full tank





GENERAL SPECIFICATION - RADIANT AIR

- Robust and tough designed for industrial workshop use with durable external powder coated finish.
- · Runs on Diesel or Kerosene.
- Heating by Radient flow (unaffected by air flow)
- Long life ceramic fibre combustion chamber.
- Flame sensor and auto no-oil safety cut off.
- Overload and over-heat protected.
- High pressure atomization.
 Easy maintenance.
- Time delay on cool-down.
 Digital temperature and setting display.
- Fully automatic operation controlled by PCB.
- Waterproof class IPX4.

NOT suitable for domestic use. When in use adequate fresh air ventilation must be provided. 12 Month commerical use Limited Warranty on faulty materials and workmanship



20KW INDUSTRIAL DIESEL/ KERO RADIANT AIR HEATER

PE20RA

\$94900

Worksafe

NZ Approved

Motor - AC220/240 / 50Hz / 110W

- Heat Output 20 kW | 68240 BTU/h | 17200 Kcal/h
- . Fuel Consumption 1.65kg/h
- . Tank Capacity 10.5L
- Size 575 x 340 x 635mm
- . Net Weight 18.3kg

Operates up to 5 HOURS on full tank







\$1499⁰⁰



- Motor AC220/240 / 50Hz / 80W
- Heat Output 40 kW | 136500 BTU/h | 34390 Kcal/h
- Fuel Consumption 3.2kg/h
- . Tank Capacity 38L
- Size 925 x 635 x 860mm
- Net Weight 29.0kg




BENCH VICES BNV STANDARD SERIES


FROM \$90.85

\$90°85 (inc gst)

\$98.90 (inc gs

GROZ





 These vices are designed for gripping / holding jobs and should not be used where heavy hammering is anticipated.

GZ35471 - 4" (100mm) \$79.00 (ex qst) GZ35472 - 5" (125mm) \$86.00 (ex ast)

GZ35473 - 6" (150mm) \$119.00 (ex gst)

GZ35474 - 8" (200mm) \$217.00 (ex gst)

Limited Stock available on 4" & 8" sizes

BENCH VICES PROFESSIONAL SERIES

FROM

These are amongst the heaviest vices in the market place. The strong body, heavy slide jaw and large diameter main screw are designed to withstand tough usage in industrial applications and training workshops

Manufactured from high quality grey iron castings - a very strong material with excellent shock absorbing capacity and immense strength under compression, these rigid & robust vices machined to close tolerances, are designed for smooth operation and reliability.

\$72.00_(ex gst) GZ35400 - 3" (75mm) \$82.80 (inc gst) \$129.00 (ex gst) GZ35401 - 4" (100mm) \$148.35 (inc. gr

\$165.00 (ex ost) GZ35402 - 5" (125mm)

\$225.00 (ex gsf) GZ35403 - 6" (150mm)

GZ35404 - 8" (200mm) \$346.00 (ex gst) \$397.90 (inc gst)



DRILL PRESS VICES PROFESSIONAL SERIES

FROM \$90.85

. Manufactured from cast iron. · 3 mounting options.

. Fully ground side face allows for right angle machining with the same jaw setting. The jaw width acts as jaw height facilitating longer workpieces to be held.

. Fully ground end face allows for right angle machining with the same machine setting

GZ35120 - 75mm (3") Jaw Opening - 70mm GZ35121 - 100mm (4")

Jaw Opening - 92mm

\$79.00_(ex gst) Jaw Depth - 30mm

Jaw Depth - 30mm

GZ35122 - 125mm (5") Jaw Opening - 110mm Jaw Depth - 35mm

\$90⁸⁵(inc gst)

\$104.00 (ex gst) \$119.60 (inc gst)

\$159.00 (ex gst) \$182.85 (inc gst)





ENGINEERS VICES PROFESSIONAL SERIES

FROM \$143.75

. With an all steel construction, these fixed base vices are built to withstand the shocks of hammering, chipping and other tough applications.

. Carbon Steel jaws are hardened 50 ± 5 HRC to withstand tough use and are serrated for non-slip grip. Safety stopper provided at the end of slide prevents slide from fall during

GZ35450 - 4" (100mm) \$125.00 (ex gst) \$143.75 (inc gst)

Jaw Opening - 4-3/4" (120mm) Throat Depth - 3-5/32" (80mm)

GZ35451 - 6" (150mm)

Jaw Opening - 6" (150mm) Throat Depth - 3-5/8" (90mm)

GROZ







GZ39009



5" (125MM) MULTI-PURPOSE BENCH VICE

PE7138 \$187.⁴⁵

This multi-purpose vice has two sets of jaws to clamp fast on pipes or square stock. The jaw head swivels 360° for precise positioning and the 5in, wide jaws have a diamond pattern for a firm grip on your workpiece. With a swivel base this multi-purpose metalworking vice can be rotated for easy access to the anvil.

Capacity - 5" (125mm).

· Multi Purpose Jaws - Parallel jaws, pipe jaws and V-groove jaws.

360° Swivel head & base.

· Heavy duty anvil.

. Net Weight - 15kg





\$1620

HAND VICES \$1120



Manufactured from high grade cast iron, these vices are best suited for working on small jobs. The vice can either be gripped in one hand or held between the jaws of a larger vice thus allowing better access to the work piece. The jaws are tightened by means of a large wing nut. Vice body has an attractive enamelled finish, the main screw is plated which prevents corrosion

\$11.00 per part \$13" (no part GZ35500 - 3" (75mm) 6Z35501 - 4" (100mm) \$15⁹⁰_(ex pat) \$18²³(me pat) \$21.10 (ex gat) \$24.27 (ex gat) 6Z35502 - 5" (125mm)





Jaw Width - 1-1/4" (32mm)







1/2" DRIVE IMPACT WRENCH ALUMINIUM

ARWM12

3/4" DRIVE IMPACT WRENCH ALUMINIUM

TENGTOOLS

ARWM34

\$749^{.00}





1830Nm / 1349ft/lb Peak Breaking

Durable aluminium housing Weight - 3.9kg One hand forward reverse button 3 forward, 1 reverse speeds Bolt capacity M32 Free speed 5000RPM



AIR RATCHETS

Weight - 2.5kg

Bolt capacity M16

Free speed 6800RPM

FROM

\$189^{.00}



 Max torque 30ft/lb • 41Nm

. 170mm overall length . Bolt capacity M10

ARR12 - 1/2" Drive

\$195.00_(ex gst)

Max torque 70ft/lb

• 95Nm 275mm overall length
 Bolt capacity M13 REVERSIBLE AIR DRILLS ARDIO

FROM

\$199^{.90}



ARD10 - 10mm

Free Speed - 1800rpm

ARD13 - 13mm

· Free Speed - 450rpm

\$199.00_(ex gst)

\$228^{.85}(inc gst)

· Average air consumption - 4.3cfm

\$299^{.00}(ex gst)

\$343.85 (inc gst)

Average air consumption - 5cfm

TENGTOOLS

1/4" DR 24 PC METRIC SET

T1424 \$54.05

\$47.00

1/4" DR 36 PC METRIC SET

\$224^{.25}(Inc gst)

T1436

\$63.00



FRP 1/4" drive ratchet, Uni joint, coupler adaptor, 3/8"Fx1/4"M T bar adaptor, 2" & 4" Extension bar, Reg sockets - 4-13mm, Deep sockets - 6-13mm.

TENGTOOLS

1/4" DR 60 PC MM / AF SOCKET SET

T1460 \$1633



FRP 1/4" drive ratchet, 6" spinner handle, 2" & 4" ext bars, uni joint, T bar, std & deep metric sockets 4-13mm, std AF sockets 3/16" to 1/2", deep Af sockets: 1/4"-1/2" bits sockets flat, TX, PH.





FRP 1/4" drive ratchet, Sockets 4-13mm, coupler adaptor, extension bar, uni joint, 1/4" bits adaptor













\$869.00





13 PC 1/2" DR MINI AIR IMPACT WRENCH & SKT SET



TTDAW13M

770Nm / 568ft/lb Peak Breaking

- 1/2" Dr 770Nm
- · Lightweight / durable aluminium housing
- . 3: forward / 1: reverse speed
- . 12 low profile (28mm) long impact sockets 10-24mm
- · Bolt capacity M16
- · Free speed 8000rpm



AIR BLOW GUNS ANGLE TIP

Working pressure - 80-150psi

· Air Inlet - 1/4" NPT

· Hanging hole


· Metal thread insert

\$13.70_(ex gst) ARB01 - 100mm Overall Length - 212mm

\$14.50_(ex gst) ARB02 - 270mm Overall Length - 360mm

FROM \$15^{.76}

\$13^{.70}



TENGTOOLS



\$75^{.00}



FRP Ratchet, Uni joint, 6" ext bar, coupler adaptor, 1/2"F:3/8"M T bar adaptor, Sockets: 8-22mm, Deep: 8-19mm, Spark plug sockets: 16 & 21mm.

1/2" DR 30 PC SOCKET SET

\$205 85



FRP Ratchet, reg sockets 10-32mm & 3/8" to 1 1/4", uni joint, 5" ext. 3/8"Ex1/2"M T bar adaptor.

3/8" DR 48 PC TOOL SET

TENGTOOLS

\$260.00



- · FRP Ratchet
- . Socket & spanner 8-19mm
- · Extension bars
- . Spark plug sockets 16 & 21mm
- · Side cutter, combination, long nose, multigrip & locking plier
- · 6 screwdrivers
- 8" adjustable wrench



1/4" & 3/8" DR 127 PC TOOL SET

TM127

\$249.00



- 1/4" & 3/8" dr FRP Ratchets
- 1/4" dr std sockets: 4-13mm, 3/16"-1/2"
- 1/4" dr deep sockets: 6-13mm
- 3/8" dr std sockets: 8-22mm, 5/16"-7/8"
- 1/2" dr std sockets: 19-32mm
- · Combo spanners: 8-19mm
- 10" wide jaw shifter
- Ratcheting bits driver, 2 spark plug sockets.
- Extension bars, 2 adaptors
- . 1/2" dr breaker bar head

TENGTOOLS

















Grab Kits

\$42.00

\$42.00

FROM \$48.30

144 PC GREASE

\$42.00



- 14 Sizes 4-10mm da Length 16-50mm
- · High tensile · Zinc Passivated
- 740 PC FLAT Washers
- 13 Sizes

933 PC SPRING

- · Metric 6-20mm ID • Imperial - 3/16" - 3/4" ID · Zinc Plated Steel
- 795 PC SPLIT PINS \$49.00
- 10 Sizes • 1.6-4mm, 7/64 dia
- Lengths 22-50mm · Zinc Plated



- M6 M8, UNF 1/4" BSF 1/4", NPT 1/8" GAS 1/8"
- Straight, 45°, 67°, 90° · Zinc Passivated





- 10 Sizes 5-8mm dia . High tensile 8.8 · Length 16-50mm
- 12 Sizes · Metric Sizes - 6-12mm Imperial Sizes - 5/32" - 5/8"



• 15 Sizes • 5-25mm dia





. M/F connectors and eyelets





• 10 Sizes • 3/32-3/16" dia . Short, Medium & Long

435 PC IMPERIAL





• 16 Sizes • 10-25mm

\$49.00

95 PC BLANKING

· Metric - 3-6mm dia



GKA195

GKA460

- 12 Sizes • M4-M14
- · Zinc Passivated

460 PC SELF



\$49.00

\$42.00

· Wire / Cable Size



• 14 Sizes • 3/16" - 1" ID

- · 8 Sizes · Panel Hole Size

· 5/16" - 1 1/8"

\$49.00



\$49.00

\$42.00

- · 8 Sizes
- · 8 gauge x 12mm • 10 gauge x 16mm · Zinc Passivated



GKA120

- · Mini and AF Blade Fuses

120 PC BLADE





 11 Sizes . 6 gauge - 12 gauge · 1/2" - 1 1/2" · Pan Head PH



- 1/8" 1/4" dia
- 3/4" to 1 1/2"

\$49.00



- 14 Sizes
- . Suits 6mm to 25mm shafts, exeternal & internal



- 12 Sizes · 3/8" - 1 1/2"
- · PH Pan Head

GKA710

90 PC SOCKET HEAD





 14 Sizes • 5-10mm dia Length 10-40mm GR8.8



- Length 12-30mm
- 2-6mm da

- · 4 Sizes, 2 pin to 8 pin M/F Blocks



 7 Sizes
 M12 x 1.25, M12 x 1.75, M10 x 1.25, M10 x 1.5, M8 x 1.25, M6 x 1.00, M5 x .8





Get organised


















- Supplied in the 8 drawer TCW808N 8 series roller cabinet with ball bearing slides.
- See in store for full kit details, talk to your Teng Tools stockist or visit www.tengtools.co.nz for more information

569 PIECE GENERAL MAINTENANCE TOOL KIT





- A 569 piece tool kit for workshops & maintenance engineers using the unique TengTools tool
 control system to create a highly organised & very comprehensive starter kit suitable for most
 tool users and with extra drawer space to add other tools & all the other things you need to
 keep in your tool box.
- Set contains all the basics, 1/4"-3/8"-1/2" drive socket sets & accessories, spanners, pliers, screwdrivers, cutting tools etc plus lots more and heaps of additional storage TC Trays for all those little bits and pieces.
- Supplied in the TengTools SV series 6 drawer top box, 3 drawer middle box, 7 drawer roller cabinet, all with ball bearing slides.

Stores advertised on this page of this catalogue are independent businesses. Every effort is made to ensure advertised stock is available, but due to factors beyond the control of ISL industrial Limited (importer), not all products are recommended only. Regular prices may vary from store to store, the catalogue pricing is calculated in good faith as the average price at the time of preparation. ISL industrial Limited (importer) reserve the right to correct printing & pricing errors. Additional feeight charges may apply if product is ordered in. All sizes shown are approximate only. Accessories shown do not come with product unless otherwise specified. Due to printing process, colours in this catalogue may vary slightly to actual item. ISL industrial Limited (importer) will do everything possible with in reason to maintain stocks of products advertised but cannot be responsible for unforeseen shortfalls beyond their control. Regroduction in whole or part is provided entition to written approval.







Panasonic









